

TECHNICAL SPECIFICATIONS AT GLOBAL

Sound

- PA System
4 x L'acoustic 12XTi 12" 3" passive coaxial enclosures (2 x delay)
4 x L'acoustic SB18i 18" subs
Powered by 2 x L'acoustic LA4 amplified controller
- Mixer
Soundcraft Vi1
Digital stagebox with 32 channels
- Analogue mixer and outboard - let us know in advance if needed
1 Midas Venice 320
1 Klark Teknik SQ1D
1 Klark Teknik DN 504
1 TC M3000
3 BSS OPAL FCS 966 8 ch gate/comp
4 ch comp/lim.
2 ch Reverb.
2 x 30 band EQ.
- Monitors
5 x L'acoustic MTD115b
4 channels Labgruppen amplification
- Microphones
5 Shure SM 57
5 Shure SM 58
1 Shure B 52 Bass drum mic
1 Shure B 91A
3 Shure B 58A
2 Rode NT5
4 Sennheiser 604 ClipMic
1 AudioTechnica ATM 33a condensers
2 Shure SM 94
5 BSS AR 133 DI
2 LD DI

Backline

- Bass Amp Head
1 x Ampeg SVT450H
- Bass Cabinet
1 x Ampeg B-410HE 4x10"
- Guitar Amps
2 x Fender '65 Deluxe Reverb
- Drumkit
1 x Yamaha Tour Custom (22" kik/10"/12"/16" toms/ 14"x 6" snare)
1 x Zildjian ZBT set (14"hats/16"/18" crash/ 20" ride)
1 x Drum stool
1 x Zildjian ZBT set (14"hats/16"/18" crash/ 20" ride)
1 x Drum stool
All hardware incl. 1 extra snare stand
- Percussion:
1 x conga, PJ Percussion
1 x tumba, PJ Percussion with stands)
- Keys
Yamaha CP300 or Nord Electro 3 - should be agreed upon in advance
- DJ gear
1 x DJM800 mixer
2 x Technics 1210
2 x Pioneer CDJ900

Venue specifications

- Venue dimensions
Width: 7.7 meters
Length: 19.5 meters
- Stage dimensions
Width: 7.7 meters
Length: 3.5 meters
- Capacity
230 standing guests
- Parking
One vehicle. 16A landline can be provided if agreed upon in advance

Lighting

- Dimmers
2 x 12 channel dimmerpacks with 10 amps on each channel
- Heads
4 x Showtec Indigo 250 Led moving heads
12 x par 56(500W) on back truss
4 x par 64 (1000 W) on side truss
4 x par 64 shortnose (500 W) floorcans
2 x Stairville Tri LED bars
4 x 1000w profile spot
2 x American DJ moonflower FX (fixed for ambience)
1 x SmokeFactory TourHazer II
- Desk
Chamsys PC wing with MagicQ on ASUS touch screen
Zero 88. 12 channel conventional desk

